

Pulsify S
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400
Finish: **Chrome** Article Number: **24221000**




Description

product features

- consists of: overhead shower, hand shower, shower thermostat, shower bar, slider, shower hose
- overhead shower Pulsify 260 1jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain
- ball-joint: overhead shower angle adjustable
- spray disc surface: graphite
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- shelf made of plastic
- surface shelf: graphite
- maximum flow rate at 3 bar: 7,5 l/min
- flow rate PowderRain spray (at 3 bar): 7,5 l/min
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- flow rate of hand shower at 3 bar: 7,5 l/min
- minimum flow pressure: 0,9 bar
- max. operating pressure: 10 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 398 mm
- swivel shower arm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 400
- safety stop at 40°C
- adjustable hot water limitation
- convenient diversion via Select button
- simultaneous utilization of 2 functions
- suitable for continuous flow water heaters
- mounting type: exposed installation
- connection thread G ½
- centre distance 150 ± 12 mm
- intrinsically safe against backflow
- Thermostat is delivered with buttons hand shower and overhead shower
- 2 functions

Technology



Design awards




Pulsify S
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400
 Finish: **Chrome** Article Number: **24221000**



Exploded Drawing

Year of production: >01/22



Pulsify S
Showerpipe 260 1jet EcoSmart with ShowerTablet Select 400
 Finish: **Chrome** Article Number: **24221000**



Spare part list

Year of production: >01/22

Pos.	Description	Article Number	PC	PU
1	mounting set	98716000	5	1
2	wall flange	95687000	9	1
3	O-ring 72x2	98395000	1	1
4	tile-matching-disk 7 mm	95239000	5	1
5	escutcheon Ø 60 mm	95692000	6	1
6	O-ring 20x2	98165000	1	1
7	screw	92137000	2	1
8	sleeve	92166000	9	1
9	hollow set screw M6x5	98447000	1	1
10	shower arm cpl.	94831000	15	1
11	O-ring 17x2,5	98387000	1	1
12	O-ring 17x2	98199000	1	1
13	hollow set screw M4x10	97667000	1	1
14	head shower	94880000	0	1
15	flow limiter (9 l/min)	95659000	3	1
16	support, assy	93517000	11	1
17	pipe 973 mm / Ø 22 mm	92468000	15	1
18	pipe 1030 mm	95915000	15	1
19	pipe 1400 mm	95983000	16	1
20	sealing foil	94795000	1	1
21	-	24110000	99	1
22	seal	98058000	1	1
23	handle	94403000	9	1
24	safety set	94404000	9	1
25	handle	94405000	7	1
26	handle fixing set	92136000	6	1
27	nut	98913000	6	1
28	thermostat cartridge	98282000	14	1
29	spring with sleeve	92340000	4	1
30	set of symbols	98367000	10	1
31	O-ring 20x1	98140000	1	1
32	nut	98368000	4	1
33	shut off unit	95758000	14	1
34	non return valve (pressure-resistant up to 2 MPa)	95773000	8	1
35	set of S-unions	95772000	13	1
36	noise reduction	96429000	2	1
37	O-ring 29x3	98371000	2	1
38	hollow set screw M6x16 including o-ring 29x3	98372000	3	1