

Pulsify S
Showerpipe 260 1jet with bath thermostat ShowerTablet 400
 Finish: **Chrome** Article Number: **24230000**




Description

product features

- consists of: overhead shower, hand shower, bath thermostat, shower bar, slider, shower hose
- overhead shower Pulsify 260 1jet
- shower head size overhead shower: 260 mm
- spray type overhead shower: PowderRain
- ball-joint: overhead shower angle adjustable
- spray disc surface: graphite
- Fast Drain empties the overhead shower from an angle of 10°
- removable shower head
- shelf made of plastic
- surface shelf: graphite
- maximum flow rate at 3 bar: 21,8 l/min
- flow rate PowderRain spray (at 3 bar): 11,5 l/min
- spray type hand shower: PowderRain, IntenseRain, Massage spray
- max. operating pressure: 5 bar
- pipe can be shortened in height
- shower bar diameter: 22 mm
- height-adjustable slider with locking push-button slider
- shower arm length overhead shower: 398 mm
- swivel shower arm
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- thermostat ShowerTablet Select 400
- safety stop at 40°C
- adjustable hot water limitation
- convenient diversion via Select button
- simultaneous utilization of 3 functions
- suitable for continuous flow water heaters
- mounting type: exposed installation
- centre distance 150 ± 12 mm
- intrinsically safe against backflow
- Thermostat is delivered with buttons overhead shower, bath tub and hand shower
- 3 functions

Technology




Pulsify S
Showerpipe 260 1jet with bath thermostat ShowerTablet 400
 Finish: **Chrome** Article Number: **24230000**




Product image



Scale drawing



Flowchart



Pulsify S
Showerpipe 260 1jet with bath thermostat ShowerTablet 400
 Finish: **Chrome** Article Number: **24230000**



Spare part list

Year of production: >01/23

Pos.	Description	Article Number	PC	PU
1	mounting set	98716000	5	1
2	wall flange	95687000	9	1
3	O-ring 72x2	98395000	1	1
4	tile-matching-disk 7 mm	95239000	5	1
5	escutcheon Ø 60 mm	95692000	6	1
6	O-ring 20x2	98165000	1	1
7	screw	92137000	2	1
8	sleeve	92166000	9	1
9	hollow set screw M6x5	98447000	1	1
10	shower arm cpl.	94831000	15	1
11	back flow preventor cartridge	92268007	59	1
12	O-ring 17x2,5	98387000	1	1
13	O-ring 17x2	98199000	1	1
14	hollow set screw M4x10	97667000	1	1
15	head shower	94876000	19	1
16	support, assy	93517000	11	1
17	pipe 973 mm / Ø 22 mm	92468000	15	1
18	pipe 1030 mm	95915000	15	1
19	pipe 1400 mm	95983000	16	1
20	sealing foil	94795000	1	1
21	-	24110000	99	1
22	filter	92672000	2	1
23	seal	98058000	1	1
24	handle	94403000	9	1
25	safety set	94404000	9	1
26	handle	94405000	7	1
27	handle fixing set	92136000	6	1
28	nut	98913000	6	1
29	thermostat cartridge	98282000	14	1
30	spring with sleeve	92340000	4	1
31	set of symbols	98367000	10	1
32	O-ring 20x1	98140000	1	1
33	nut	98368000	4	1
34	shut off unit	95758000	14	1
35	non return valve (pressure-resistant up to 2 MPa)	95773000	8	1
36	set of S-unions	95772000	13	1
37	noise reduction	96429000	2	1
38	O-ring 29x3	98371000	2	1
39	hollow set screw M6x16 including o-ring 29x3	98372000	3	1