


**Universal Slotted waste** # 005024..00 / 005024..00 /  
005024..00 / 005024..00 / 005024..00

| < Ø 72 mm > |



Slotted waste	Dimension	Weight	Order number
washbasin without overflow, Material drain covers: Brass, Diameter: 72 mm			
<b>Colors</b>			
04 Brushed Bronze 10 Chrome 34 Polished Gold 46 Black Matt 70 Brushed Stainless Steel			
<b>Variant</b>			
Bronze Brushed	72x69 mm	0.315 kg	005024..00
Chrome	72x69 mm	0.315 kg	005024..00
Gold Polished	72x69 mm	0.315 kg	005024..00
Black Matt	72x69 mm	0.300 kg	005024..00
Stainless steel Brushed	72x69 mm	0.315 kg	005024..00
<b>Suitable accessories for Chrome</b>			
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set	198 x 45 mm	1.92 kg	D11120009
2 Hole basin mixer XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set	230 x 45 mm	2.45 kg	D11130009
Single lever basin mixer M Chrome, Ceramic cartridge, Height: 217 mm, Spout reach: 125 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle	48 x 160 mm	1.5 kg	WT1020002
Single lever basin mixer XL Chrome, Ceramic cartridge, Height: 317 mm, Spout reach: 160 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle	48 x 195 mm	1.9 kg	WT1040002

**Universal Slotted waste # 005024..00 / 005024..00 / 005024..00 / 005024..00 / 005024..00**

|< Ø 72 mm >|

Single lever basin mixer S Chrome, Ceramic cartridge, Height: 187 mm, Spout reach: 100 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle	48 x 135 mm	1.2 kg	WT1010002
Single lever basin mixer L Chrome, Ceramic cartridge, Height: 280 mm, Spout reach: 140 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, Temperature limit adjustable, recommended operating pressure: 1 - 5 bar, Handle version: lever handle	48 x 175 mm	1.7 kg	WT1030002
<b>Suitable accessories for Chrome, Black Matt</b>			
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4	198 x 45 mm	2.34 kg	D11100008
2 Hole basin mixer electronic M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4	198 x 45 mm	2.1 kg	D11100007
2 Hole basin mixer M Height: 157 mm, Spout reach: 148 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set	198 x 45 mm	1.85 kg	D11120002
2 Hole basin mixer electronic XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4	230 x 45 mm	2.84 kg	D11110008
2 Hole basin mixer electronic XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Temperature limit adjustable, Flow rate (3 bar): 5 l/min, Adjustable water run time, Hygienic flush, Spray mode: Normal spray, Incl. spout, Incl. control unit, Incl. operating unit, Operation type: Controller, without pop-up waste set, Electronic control: power supply, Protection type: IPX4	230 x 45 mm	2.6 kg	D11110007

**Universal Slotted waste # 005024..00 / 005024..00 / 005024..00 / 005024..00 / 005024..00**

|< Ø 72 mm >|

2 Hole basin mixer XL Height: 253 mm, Spout reach: 180 mm, Temperature control: Ceramic cartridge, Aerator adjustable, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Flow rate (3 bar): 5 l/min, Spray mode: Normal spray, Operation type: Mechanical, without pop-up waste set	230 x 45 mm	2.4 kg	D11130002
<b>Accessory</b>			
Corner Basin Quarter circle, Tap hole platform: Yes, Number of faucet holes per wash area: 1, Overflow: No, Underside glazed, Back side glazed: No, 635 mm	635 x 540 mm	12 kg	044845
Washbasin Semi-circular, Tap hole platform: Yes, Overflow: No, Underside glazed, Back side glazed: No, 575 mm	575 x 520 mm	15.2 kg	044958
Hand basin Semi-circular, Tap hole platform: Yes, Overflow: No, Underside glazed, Back side glazed: No, 360 mm	360 x 380 mm	7.6 kg	076635
Built-in basin Washbasin version: Installation, 430x430 mm, Tap hole platform: No, Overflow: No, Type of mounting: undercounter, Incl. fixings for installation in wooden consoles	Ø 430 mm	6.5 kg	046340
Washbowl Tap hole platform: No, Back side glazed: Yes, 500 mm	500 x 400 mm	11.4 kg	238350
Washbowl Tap hole platform: No, Back side glazed: Yes, 500 mm	500 x 400 mm	11 kg	238450
Washbowl Oval, Tap hole platform: No, 600 mm	600 x 400 mm	12.4 kg	238460
Washbowl Rectangular, Tap hole platform: No, 600 mm	600 x 400 mm	13 kg	238360
Hand basin Rectangular, Tap hole platform: Yes, Overflow: No, Underside glazed, 450 mm	450 x 335 mm	9.8 kg	073845
Built-in basin Washbasin version: Installation, 600x440 mm, Tap hole platform: No, Overflow: No, Type of mounting: counter top	600 x 440 mm	9.3 kg	035860
Washbowl Oval, Tap hole platform: No, Overflow: No, 600 mm	600 x 400 mm	11 kg	237260
Washbowl Round, Tap hole platform: No, Overflow: No, 400 mm	Ø 400 mm	7.3 kg	237140

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.*